



Anova Laboratory, LLC  
 1685 Tucker Road  
 Hood River, OR 97031  
 541.387.4020 (office)  
 866.293.1337 (fax)

## Certificate of Analysis

Sofresh Farms  
 27135 S. Gribble Rd.  
 Canby, OR 97013  
 Michelle Haworth  
 Lic Num: 020-1000010499D8

Strain: Portland Pineapple  
 Matrix: Flower  
 CTS Batch #: 1A4010300001E17000007293  
 Lot Number: Portland Pineapple 10/14/19  
 Lot Size (lb): 10.08  
 Client CTS Sample ID: SOF\_3486  
 Collected: 2/5/2020 10:50  
 Received: 2/5/2020 11:40  
 Anova Sample ID: 079200360101

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
<b>Giese 2015</b>						
Cannabidiol (CBD) by HPLC	2/7/2020	< 0.02		% Mass	n/a	n/a
Cannabidiolic acid (CBDA) by HPLC	2/7/2020	0.12		% Mass	n/a	n/a
Cannabinol (CBN) by HPLC	2/7/2020	< 0.02		% Mass	n/a	n/a
delta-9-Tetrahydrocannabinol (d9-THC) by HPLC	2/7/2020	1.82		% Mass	n/a	n/a
delta-9-Tetrahydrocannabinolic acid (d9-THCA) by HPLC	2/7/2020	24.1		% Mass	n/a	n/a
Total CBD (Calculated)	2/7/2020	0.10		% Mass	n/a	n/a
Total THC (Calculated)	2/7/2020	23.0		% Mass	n/a	n/a
<b>FET_HSGC</b>						
Terpene Profile	2/8/2020	see attached		mg/g	n/a	n/a
<b>AOAC Method 934.01</b>						
Moisture (Loss on Drying)	2/6/2020	11.58		% Mass	15 max	Pass
<b>AOAC Method 978.18</b>						
Water Activity	2/6/2020	0.42		aW	0.65 max	Pass
<b>AOAC 2007.01 and EN 15662: LC-MS/MS</b>						
Abamectin (CAS# 71751-41-2)	2/6/2020	< 0.10		ppm (ug/g)	0.5 max	Pass
Acephate (CAS# 30560-19-1)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Acequinocyl (CAS# 57960-19-7)	2/6/2020	< 0.20		ppm (ug/g)	2 max	Pass
Acetamiprid (CAS# 135410-20-7)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Aldicarb (CAS# 116-06-3)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Azoxystrobin (CAS# 131860-33-8)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Bifenazate (CAS# 149877-41-8)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Boscalid (CAS# 188425-85-6)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Carbaryl (CAS# 63-25-2)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.*

*These results pertain only to the representative sample submitted for analysis.*

*Anova Laboratory, LLC - OLCC Lic. No. 10010169AD1 ORELAP Accreditation No. 4098*

**Client-Based Solutions and High-Quality, Rapid Results**



Anova Laboratory, LLC  
 1685 Tucker Road  
 Hood River, OR 97031  
 541.387.4020 (office)  
 866.293.1337 (fax)

## Certificate of Analysis

Sofresh Farms  
 27135 S. Gribble Rd.  
 Canby, OR 97013  
 Michelle Haworth  
 Lic Num: 020-1000010499D8

Strain: Portland Pineapple  
 Matrix: Flower  
 CTS Batch #: 1A4010300001E17000007293  
 Lot Number: Portland Pineapple 10/14/19  
 Lot Size (lb): 10.08  
 Client CTS Sample ID: SOF\_3486  
 Collected: 2/5/2020 10:50  
 Received: 2/5/2020 11:40  
 Anova Sample ID: 079200360101

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
Carbofuran (CAS# 1563-66-2)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Chlorantraniliprole (CAS# 500008-45-7)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Chlorpyrifos (CAS# 2921-88-2)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Clofentezine (CAS# 74115-24-5)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Cyfluthrin (CAS# 68359-37-5)	2/6/2020	< 0.20		ppm (ug/g)	1 max	Pass
Cypermethrin (CAS# 52315-07-8)	2/6/2020	< 0.10		ppm (ug/g)	1 max	Pass
Daminozide (CAS# 1596-84-5)	2/6/2020	< 0.10		ppm (ug/g)	1 max	Pass
DDVP (Dichlorvos) (CAS# 62-73-7)	2/6/2020	< 0.05		ppm (ug/g)	1 max	Pass
Diazinon (CAS# 333-41-5)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Dimethoate (CAS# 60-51-5)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Ethoprophos (CAS# 13194-48-4)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Etofenprox (CAS# 80844-07-1)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Etoxazole (CAS# 153233-91-1)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Fenoxycarb (CAS# 72490-01-8)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Fenpyroximate (CAS# 134098-61-6)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Fipronil (CAS# 120068-37-3)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Flonicamid (CAS# 158062-67-0)	2/6/2020	< 0.05		ppm (ug/g)	1 max	Pass
Fludioxonil (CAS# 131341-86-1)	2/6/2020	< 0.10		ppm (ug/g)	0.4 max	Pass
Hexythiazox (CAS# 78587-05-0)	2/6/2020	< 0.05		ppm (ug/g)	1 max	Pass
Imazalil (CAS# 35554-44-0)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Imidacloprid (CAS# 138261-41-3)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Kresoxim-methyl (CAS# 143390-89-0)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Malathion (CAS# 121-75-5)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Metalaxyl (CAS# 57837-19-1)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Methiocarb (CAS# 2032-65-7)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.*

*These results pertain only to the representative sample submitted for analysis.*

*Anova Laboratory, LLC - OLCC Lic. No. 10010169AD1 ORELAP Accreditation No. 4098*

**Client-Based Solutions and High-Quality, Rapid Results**



Anova Laboratory, LLC  
 1685 Tucker Road  
 Hood River, OR 97031  
 541.387.4020 (office)  
 866.293.1337 (fax)

## Certificate of Analysis

Sofresh Farms  
 27135 S. Gribble Rd.  
 Canby, OR 97013  
 Michelle Haworth  
 Lic Num: 020-1000010499D8

Strain: Portland Pineapple  
 Matrix: Flower  
 CTS Batch #: 1A4010300001E17000007293  
 Lot Number: Portland Pineapple 10/14/19  
 Lot Size (lb): 10.08  
 Client CTS Sample ID: SOF\_3486  
 Collected: 2/5/2020 10:50  
 Received: 2/5/2020 11:40  
 Anova Sample ID: 079200360101

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
Methomyl (CAS# 16752-77-5)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
MGK-264 (CAS#113-48-4)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Myclobutanil (CAS# 88671-89-0)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Naled (CAS# 300-76-5)	2/6/2020	< 0.20		ppm (ug/g)	0.5 max	Pass
Oxamyl (CAS# 23135-22-0)	2/6/2020	< 0.05		ppm (ug/g)	1 max	Pass
Paclobutrazol (CAS# 76738-62-0)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Permethrins (CAS# 52645-53-1)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Phosmet (CAS#732-11-6)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Piperonyl butoxide (CAS# 51-03-6)	2/6/2020	< 0.05		ppm (ug/g)	2 max	Pass
Prallethrin (CAS# 23031-36-9)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Propiconazole (CAS# 60207-90-1)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Propoxur (CAS# 114-26-1)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Pyrethrins (CAS# 8003-34-7)	2/6/2020	< 0.10		ppm (ug/g)	1 max	Pass
Pyridaben (CAS# 96489-71-3)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Spinosad (Spinosyn A & D) (CAS# 168316-95-8)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Spiromesifen (CAS# 283594-90-1)	2/6/2020	< 0.10		ppm (ug/g)	0.2 max	Pass
Spirotetramat (CAS# 23313-25-1)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Spiroxamine (CAS# 11834-30-8)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Tebuconazole (CAS# 107534-96-3)	2/6/2020	< 0.05		ppm (ug/g)	0.4 max	Pass
Thiacloprid (CAS# 11988-49-9)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Thiamethoxam (CAS# 153719-23-4)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Trifloxystrobin (CAS# 141517-21-7)	2/6/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
<b>AOAC 2007.01 and EN 15662: GC-MS/MS</b>						
Bifenthrin (CAS# 82657-04-3)	2/7/2020	< 0.05		ppm (ug/g)	0.2 max	Pass
Chlorfenapyr (CAS# 122453-73-0)	2/7/2020	< 0.20		ppm (ug/g)	1 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.*

*These results pertain only to the representative sample submitted for analysis.*

*Anova Laboratory, LLC - OLCC Lic. No. 10010169AD1 ORELAP Accreditation No. 4098*

**Client-Based Solutions and High-Quality, Rapid Results**



Anova Laboratory, LLC  
 1685 Tucker Road  
 Hood River, OR 97031  
 541.387.4020 (office)  
 866.293.1337 (fax)

## Certificate of Analysis

Sofresh Farms  
 27135 S. Gribble Rd.  
 Canby, OR 97013  
 Michelle Haworth  
 Lic Num: 020-1000010499D8

Strain: Portland Pineapple  
 Matrix: Flower  
 CTS Batch #: 1A4010300001E17000007293  
 Lot Number: Portland Pineapple 10/14/19  
 Lot Size (lb): 10.08  
 Client CTS Sample ID: SOF\_3486  
 Collected: 2/5/2020 10:50  
 Received: 2/5/2020 11:40  
 Anova Sample ID: 079200360101

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
Methyl parathion (CAS# 298-00-0)	2/7/2020	< 0.10		ppm (ug/g)	0.2 max	Pass
<b>Quality Control Analyses</b>						
LCS_Pesticides (LC-MS/MS)	2/6/2020	<b>positive control</b>		ppm (ug/g)	positive control	Pass
Method Blank_Pesticides (LC-MS/MS)	2/6/2020	<b>clear</b>		ppm (ug/g)	clear	Pass
LCS_Pesticides (GC-MS/MS)	2/7/2020	<b>positive control</b>		ppm (ug/g)	positive control	Pass
Method Blank_Pesticides (GC-MS/MS)	2/7/2020	<b>clear</b>		ppm (ug/g)	clear	Pass

**Footnotes:**

Acceptance criteria are found in the Oregon Administrative Rule. Analyses are performed in accordance with the most current methods.

Potency results reported on a dry weight basis.

Laboratory Control Sample (LCS) - The percent recovery for target analytes in the batch LCS Quality Control samples support data acceptance.

Method Blank (MB) - The chromatographic regions evaluated for detection were absent of the respective target analytes at or above the Limit of Quantitation (LOQ).

**Reviewed By:** J. Fetkenhour, Technical Director

**Date:** 2/12/2020

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.*

*These results pertain only to the representative sample submitted for analysis.*

*Anova Laboratory, LLC - OLCC Lic. No. 10010169AD1 ORELAP Accreditation No. 4098*

**Client-Based Solutions and High-Quality, Rapid Results**